

CENTERS FOR MEDICARE & MEDICAID SERVICES
CLINICAL LABORATORY IMPROVEMENT AMENDMENTS
CERTIFICATE OF COMPLIANCE

LABORATORY NAME AND ADDRESS
CONTRA COSTA PATHOLOGY ASSOCIATES
399 TAYLOR BLVD STE 200
PLEASANT HILL, CA 94523-2297

CLIA ID NUMBER
05D2073229

EFFECTIVE DATE

09/19/2020

EXPIRATION DATE

09/18/2022

LABORATORY DIRECTOR
NADER SHIHABI MD DIRECTOR

Pursuant to Section 353 of the Public Health Services Act (42 U.S.C. 263a) as revised by the Clinical Laboratory Improvement Amendments (CLIA), the above named laboratory located at the address shown hereon (and other approved locations) may accept human specimens for the purposes of performing laboratory examinations or procedures.

This certificate shall be valid until the expiration date above, but is subject to revocation, suspension, limitation, or other sanctions for violation of the Act or the regulations promulgated thereunder.



Monique Spruill

Monique Spruill, Director
Division of Clinical Laboratory Improvement & Quality
Quality & Safety Oversight Group
Center for Clinical Standards and Quality

CLIA ID Number: 05D2073229
CONTRA COSTA PATHOLOGY ASSOCIATES
399 TAYLOR BLVD STE 200
PLEASANT HILL, CA 94523-2297